

Viscosity of Aqueous Glycerine Solutions in Centipoises (=mPa s)
 (from the Dow Corning web site)

weight percent glycerine	Temperature, °C										
	0	10	20	30	40	50	60	70	80	90	100
0 (1)	1.792	1.308	1.005	0.8007	0.656	0.5494	0.4688	0.4061	0.3565	0.3165	0.2838
10	2.44	1.74	1.31	1.03	0.826	0.68	0.575	0.5			
20	3.44	2.41	1.76	1.35	1.07	0.879	0.731	0.635			
30	5.14	3.49	2.5	1.87	1.46	1.16	0.956	0.816	0.69		
40	8.25	5.37	3.72	2.72	2.07	1.62	1.3	1.09	0.918	0.763	0.668
50	14.6	9.01	6	4.21	3.1	2.37	1.86	1.53	1.25	1.05	0.91
60	29.9	17.4	10.8	7.19	5.08	3.76	2.85	2.29	1.84	1.52	1.28
65	45.7	25.3	15.2	9.85	6.8	4.89	3.66	2.91	2.28	1.86	1.55
67	55.5	29.9	17.7	11.3	7.73	5.5	4.09	3.23	2.5	2.03	1.68
70	76	38.8	22.5	14.1	9.4	6.61	4.86	3.78	2.9	2.34	1.93
75	132	65.2	35.5	21.2	13.6	9.25	6.61	5.01	3.8	3	2.43
80	255	116	60.1	33.9	20.8	13.6	9.42	6.94	5.13	4.03	3.18
85	540	223	109	58	33.5	21.2	14.2	10	7.28	5.52	4.24
90	1310	498	219	109	60	35.5	22.5	15.5	11	7.93	6
91	1590	592	259	127	68.1	39.8	25.1	17.1	11.9	8.62	6.4
92	1950	729	310	147	78.3	44.8	28	19	13.1	9.46	6.82
93	2400	860	367	172	89	51.5	31.6	21.2	14.4	10.3	7.54
94	2930	1040	437	202	105	58.4	35.4	23.6	15.8	11.2	8.19
95	3690	1270	523	237	121	67	39.9	26.4	17.5	12.4	9.08
96	4600	1580	624	281	142	77.8	45.4	29.7	19.6	13.6	10.1
97	5770	1950	765	340	166	88.9	51.9	33.6	21.9	15.1	10.9
98	7370	2460	939	409	196	104	59.8	38.5	24.8	17	12.2
99	9420	3090	1150	500	235	122	69.1	43.6	27.8	19	13.3
100	12070	3900	1410	612	284	142	81.3	50.6	31.9	21.3	14.8

(1) Viscosity of water taken from "Properties of Ordinary Water-Substance." N.E. Dorsey, p. 184. New York (1940)